Design Adjustment Application



The purpose of this request is to seek a Design Adjustment from the Development Services Director, or designee, for a specific project only and, if granted, may be approved with special conditions and provisions.

This application and all further action shall be consistent with Section 10.2.18 in the Unified Development Ordinance (UDO). The consideration and decision of this request shall be based solely on the conformance of the findings, as outlined in Sec. 8.3.6, Sec. 8.4.1.E and Sec. 8.5.1.G of the UDO or the Raleigh Street Design Manual.

5	Project Name					
PROJECT	Case Number					
PR	Transaction Number					
8	Name					
OWNER	Address			City		
Ó	State	Zip Code		Phone		
5	Name		Firm			
CONTACT	Address			City		
00	State	Zip Code		Phone		
	I am seeking a Design Adjustment from the requirements set forth in the following:					
	UDO Art. 8.3 Blocks, Lots, Access		- See page 2 for findings			
	UDO Art. 8.4 New Streets		- See page 3 for findings			
	UDO Art. 8.5 Existing Streets		- See page 4 for findings			
ST	Raleigh Street Design Manual		- See page 5 for findings			
REQUEST	Provide details about the request; (please attach a memorandum if additional space is needed):					
REC						

It is the responsibility of the applicant to provide all pertinent information needed for the consideration of this request. Applicant must be the Property Owner.

By signing this document, I hereby acknowledge the information on this application is, to my knowledge, accurate.

Owner/Owner's Representative Signature

Date

CHECKLIST	
Signed Design Adjustment Application	Included
Page(s) addressing required findings	Included
Plan(s) and support documentation	Included
Notary page (page 6) filled out; Must be signed by property owner	Included
First Class stamped and addressed envelopes with completed notification letter	Included

Submit all documentation, with the exception of the required addressed envelopes and letters to designadjustments@raleighnc.gov.

Deliver the addressed envelopes and letters to:

Development Services, Development Engineering One Exchange Plaza, Suite 500

Raleigh NC, 27601

For Office Use Only	RECEIVED DATE:	DA
For Office use Offig	RECEIVED DATE.	DA

Article 8.3, Blocks, Lots, Access

Administrative Design Adjustment Findings



The Development Services Director may in accordance with Sec. 10.2.18. approve a design adjustment, subject to all of the following findings. Describe how each item is met:

A.	The requested design adjustment meets the intent of this Article;
B.	The requested design adjustment conforms with the Comprehensive Plan and adopted City plans;
C.	The requested design adjustment does not increase congestion or compromise Safety;
D.	The requested design adjustment does not create any lots without direct street Frontage;
E.	The requested design adjustment is deemed reasonable due to one or more of th following: 1. Topographic changes are too steep;

- e


 - 2. The presence of existing buildings, stream and other natural features;
 - 3. Site layout of developed properties;
 - 4. Adjoining uses or their vehicles are incompatible;
 - 5. Strict compliance would pose a safety hazard; or
 - 6. Does not conflict with an approved or built roadway construction project
 - 7. adjacent to or in the vicinity of the site.

Individual Acknowledgement



STATE OF NORTH CAROL		INDIVIDUAL
acknowledged the due ex		, a Notary Public do hereby certify that personally appeared before me this day and the forgoing instrument.
This the	_ day of	, 20
(SEAL)		Notary Public
My Commission Expires:		

1st SUBMITTAL TO CITY OF RALEIGH: OCTOBER 24, 2017



SITE INFORMATION	<u>V:</u> }
LOCATION:	7101 GLENWOOD AVENUE
	RALEIGH, NC
COUNTY:	WAKE COUNTY
PARENT PIN:	0786493392
DB/PG:	016834 / 02356
ZONING:	CX-3-PL
ACREAGE (ORIG):	3.46 AC
SETBACKS:	
FRONT:	15' TRANSITIONAL YARD
SIDE:	
REAR:	20' TRANSITIONAL YARD
BUILDING DATA:	
BUILDING SIZE:	39,116 (EXIST. 1 STORY)
	78,232 (EXIST. 2 STORY)
	51,428 SF (1st STORY GROS
	51,428 SF (2nd STORY GROS
	102,856 SF (2-STORY TOTAL
PROPOSED USE:	SELF-SERVICE
	STORAGE FACILITY
BUILDING HEIGHT:	48'-4" (2 STORY)
PARKING:	
EXISTING RECREATION SPECIFICATION:	1 SPACE / 300 SF
	78,323 SF
PARKS REQUIRED FOR EXISTING GYM:	= 261 PARKS
SELF-SERVICE STORAGE SPECIFICATION:	1 SPACE / 100 STORAGE UN
	1,000 UNITS
TOTAL PARKS REQUIRED:	= 10 PARKS
PROVIDED PARKING:	26 STANDARD
	5 H/C ACCESSIBLE
	60 EXISTING PARKS
TOTAL PARKS:	= 91 PARKS
PARKING MITIGATION NEEDED FOR PROVI MITIGATION MEASURES #1 AND #3 FROM F IMPERVIOUS IS BEING ADDED TO THE SITE MEET REQUIRED DIMENSIONS.	PAGE 7-7 OF THE UDO. NO ADDITIONAL

68,970 SQ FT (1.58 AC)

3,642 SQ FT (0.08 AC)

39,116 SQ FT (0.90 AC)

52,018 SQ FT (1.19 AC)

4,637 SQ FT (0.11 AC)

51,428 SQ FT (1.18 AC)

111,728 SQ FT (2.56 AC - 74.1%)

108,083 SQ FT (2.48 AC - 71.7%

EXISTING:

PROPOSED:

PAVEMENT:

SIDEWALK

BUILDING:

PAVEMENT:

SIDEWALK:

BUILDING:

TOTAL IMPERVIOUS

S	Sheet List Table
Number	Sheet Title
C-00	COVER SHEET
C-00A	COVER SHEET NOTES
C-01	EXISTING CONDITIONS
C-02	DEMOLITION PLAN
C-03	SITE PLAN
C-04	UTILITY PLAN
C-05	GRADING AND DRAINAGE PLAN
C-06	EROSION CONTROL PLAN (NOT INCLUDED IN THIS SUBMITTAL)
C-07	EXISTING DRAINAGE AREAS
C-08	PROPOSED DRAINAGE AREAS
C-09	LANDSCAPE PLAN
D-01	SITE DETAILS I
D-02	SITE DETAILS II
D-03	WATER DETAILS I
D-04	WATER DETAILS II
D-05	DRAINAGE DETAILS
D-06	EROSION CONTROL DETAILS
L-01	LANDSCAPE / TCA PLAN
L-02	LANDSCAPE DETAILS
A2.01	BUILDING ELEVATIONS

PLANNING/ZONING/LANDSCAPE: CITY OF RALEIGH DEVELOPMENT SERVICES 1 EXCHANGE PLAZA, SUITE 400 RALEIGH, NC 27587 919-996-2478 CONTACT: MR. MITCH HALEY	USACE RALEIGH FIELD OFFICE 3331 HERITAGE TRADE DR. SUITE 105 WAKE FOREST, NC 27587 919-554-4884 CONTACT: MR. JAMES LASTINGER UTILITY AGENCIES:
ENGINEERING	WATER & SEWER
CITY OF RALEIGH ENGINEERING SERVICES	CITY OF RALEIGH PUBLIC UTILITIES
ONE EXCHANGE PLAZA, SUITE 801	ONE EXCHANGE PLAZA RALEIGH, NC 27601
RALEIGH, NC 27601 919-996-5575	919-996-3484 (o)

GOVERNING AGENCIES

CONTACT: MR. RICHARD KELLY

STORMWATER / EROSION CONTROL

ONE EXCHANGE PLAZA, SUITE 304 RALEIGH, NC 27601 919-996-3515


CONTACT: MR. BENJAMIN BROWN, PE

STORMWATER SERVICES

CITY OF RALEIGH

	istrative Site F (for UDO Dis	tricts only)		T S	ERVICES PARTMEI	
Developmen	t Services Customer Serv Litchford Satellit	vice Center 1 Exchi e Office 8320 – 130	ange Plaza, Suite 400 Ral Litchford Road Raleigh,	eigh, NC 27601 NC 27601 919-	and .		
When	submitting plans, please ch					nent.	
		UILDING TYPE				*	
Detached			-		FOR OFFIC	CE USE ONLY	
Attached		General			Transact	tion Number	
Apartment		☐ Mixed Us			Assigned Pro	ject Coordinator	
Townhouse		☐ Open Lot					
					Assigned '	Team Leader	
Has your project previ	ously been through the Due D	Diligence or Sketch Pl	lan Review process? If y	es, provide the	transaction #		
			NFORMATION		or ansaction w		
Development Name	PHD 7101 GLE	NWOOD A	AVE				
Zoning District CX		District (if applicable		Inside City	Limits? Yes	□ _{No}	
Proposed Use SEL	F-STORAGE			L		-100	
	101 GLENWO			-			
Wake County Proporty	Identification in the control of the	OD AVEN	Major Stre	eet Locator: G	LENWOOD	AVENUI	
	Identification Number(s) for	each parcel to which	these guidelines will a	oply:			
P.I.N. 0786493	3392 P.I.N.		P.I.N.		P.I.N.		
☐ Duplex	Apartment Non-Residential Condo Telecommunication Tower describe: SELF-STORAGE FAC	☐ Elderly Faciliti☐ School☐ Religious Insti	Shopping Cel	nter \Box	Banks	Office ndustrial Buildin Cottage Court	
	Per City Code Section 10.2.	8.D.1, summarize the	e project work scope. F	or additions ch	anger of use of		
WORK SCOPE Per City Code Section 10.2.8.D.1, summarize the project work scope. For additions, changes of use, or occupancy (per Chapter 6 of the UDO), indicate impacts on parking requirements. BUILDING EXPANSION, PAVEMENT DEMOLITION, GRADING, RE-PAY PARKING LOT, UTILITY RELOCATION			VING OF				
DESIGN ADJUSTMENT OR ADMIN ALTERNATE	Per City Code Chapter 8, sur Administrative AE	mmarize if your proje	ect requires either a de	sign adjustmen	t, or Section 10 - Alto	ernate	
	Company PDH@7	101GLFNV	VOOD Name (s)	JEEE	EWIN		
CLIENT/DEVELOPER/ OWNER	Address 3930 MAX PLACE, BOYNTON BEACH, I					26	
	Phone 561-600-8652 Email JEFF@PHDEVELOPERS.COM Fax						
CONSULTANT	Company THE CURRY E	NGINEERING GRO	OUP, PLLC Name (s)	DONAL	D CLIDD	V DE	
(Contact Person for	Address 205 SOUT	TH FUQUAY	LIQUAY	VARINA NA	2 27504		
Plans)	Phone 919-552-0	849 Email	DON@CURRY	FNG CO	M Fax 919-5		
		010	- 011(W. 001(11)		IVII . ON PAIR PA	7 / / / / / /	

Zoning Information Zoning District(s): CX-3-PL If more than one district, provide the acreage of each: N/A Overlay District: N/A Total Site Acres Inside City Limits Yes No Off street parking: Required 10 Provided 91	Building Information Proposed building use(s): SELF-STORAGE FACILITY Existing Building(s) sq. ft. gross: 39,111 Proposed Building(s) sq. ft. gross: 102,856 Total sq. ft. gross (existing & proposed) 102,856		
If more than one district, provide the acreage of each: N/A Overlay District: N/A Total Site Acres Inside City Limits Yes No Off street parking: Required 10 Provided 91	Proposed Building(s) sq. ft. gross: 102,856		
Overlay District: N/A Total Site Acres Inside City Limits Yes No Off street parking: Required 10 Provided 91	Proposed Building(s) sq. ft. gross: 102,856		
Total Site Acres Inside City Limits Yes No Off street parking: Required 10 Provided 91			
Off street parking: Required 10 Provided 91	Total sq. ft. gross (existing & proposed) 102,856		
	Proposed height of building(s) MATCH EXISTING		
COA (Certificate of Appropriateness) case # N/A	# of stories 2		
BOA (Board of Adjustment) case # A- N/A	Ceiling height of 1 st Floor		
CUD (Conditional Use District) case # Z- N/A			
Stormwater	Information		
Existing Impervious Surface 2.56 AC acres/square feet	Flood Hazard Area Yes No		
Proposed Impervious Surface 2.56 AC acres/square feet	If Yes, please provide:		
Neuse River Buffer \square Yes \square No Wetlands \square Yes \square No	Alluvial Soils Flood Study FEMA Map Panel #		
FOR RESIDENTIAL	L DEVELOPMENTS		
Total # Of Apartment, Condominium or Residential Units	5. Bedroom Units: 1br 2br 3br 4br or more		
Total # Of Congregate Care Or Life Care Dwelling Units	6. Infill Development 2.2.7		
3. Total Number of Hotel Units	7. Open Space (only) or Amenity		
4. Overall Total # Of Dwelling Units (1-6 Above)	8. Is your project a cottage court? Yes No		
SIGNATURE BLOCK (Applie	cable to all developments)		
and assigns jointly and severally to construct all improvements and make approved by the City. I hereby designate Printed Name DONALD CURRY, P.E DONALD CURRY, P.	to serve as my agent regarding this application, to my behalf and to represent me in any public meeting regarding this pall application requirements applicable with the proposed development Date		



Civil Engineer:

The Curry Engineering Group, PLLC NC License # P-0799 PO Box 2018 205 S. Fuquay Ave Fuquay-Varina, NC 27526 919.552.0849 (o) Contact: Don Curry, PE don@curryeng.com

Surveyor:

CONTACT: CESAR SANCHEZ

EMAIL: cesar.sanchez@raleighnc.gov

Taylor Land Consultants, PLLC 1600 Olive Chapel Road, Suite 140, Apex, NC 27502 Phone: 919-801-1104 Contact: Jeremy Taylor, PLS Email: jeremy@taylorlc.com

US ARMY CORPS OF ENGINEERS (USACE)

Owner/Developer:

PHD @ 7101 Glenwood, LLC 3930 Max Place Boynton Beach, FL 33436 Phone: 561-600-8652 Contact: Jeff Lewin Email: jeff@phdevelopers.com

Architect:

CLINE DESIGN ASSOCIATES, PA 125 N. Harrington St., Suite 150 Raleigh, NC 27603 Phone: 919.883.6413 (o) Contact: James McWhorter, AIA Email: JamesM@clinedesignassoc.com

Landscape Architect:

Southwell Design, PLLC PO Box 37178 Raleigh, NC 27627 919.272.6729 (o) Contact: Adam Southwelll, PLA, ASLA, LEED GA adam@southwelldesign.com






NOT FOR CONSTRUCTION


0









- ALL SIGNS SHOULD USE PRISMATIC SHEETING THAT MEETS MINIMUM RETROREFLECTIVITY STANDARDS FOUND IN THE LATEST EDITION OF THE MUTCD.
- ALL CONSTRUCTION MUST BE PERFORMED IN ACCORDANCE WITH CITY OF RALEIGH, NCDOT, AND NCDEQ STANDARD SPECIFICATIONS AND DETAILS.
- ALL ASPHALT EDGES SHALL BE SAW CUT TO PROVIDE A GOOD LONGITUDINAL JOINT. MILL 1.5 FEET AT 1.5 INCHES DEEP MINIMUM TO PROVIDE A LONGITUDINAL LAP JOINT FOR FINAL SURFACE LAYER. NO MILLING SHALL BE LEFT FOR A PERIOD OF TIME GREATER THAN 48 HOURS BEFORE A STREET IS TO BE PAVED/RESURFACED.
- THE CONTRACTOR IS RESPONSIBLE FOR OBTAINING AND PAYING FOR ANY PERMITS AND/OR CONNECTION FEES REQUIRED TO CARRY OUT THE WORK.
- CONTRACTOR IS RESPONSIBLE FOR VERIFYING ALL GRADES PRIOR TO THE START OF CONSTRUCTION.
- DUMPSTER PAD GATE ENCLOSURE SHALL BE SOLID AND COLORED TO MATCH THE
- EXISTING UTILITY LOCATIONS SHOWN ARE APPROXIMATE AND SHALL BE FIELD
- ALL DIMENSIONS ARE TO EDGE OF PAVEMENT, FACE OF CURB, FACE OF BUILDING, OR PROPERTY LINE UNLESS SHOWN OTHERWISE.
- TACTILE WARNING MATS ARE TO BE INSTALLED ON ALL WHEELCHAIR RAMPS.
- 10. ALL PARKING STALL MARKINGS AND LANE ARROWS WITHIN THE PARKING AREAS SHALL BE WHITE.
- 11. MAX. SIDEWALK CROSS-SLOPE IS 2%.
- 12. ALL SIGNAGE SHALL COMPLY WITH CITY OF RALEIGH ORDINANCE, LATEST EDITION.
- 13. CONTRACTOR SHALL REPAIR ENTIRE ASPHALT CRACKS, SEAL COAT, AND RE-STRIPE EXISTING PARKING SPACES.









TOTAL IMPERVIOUS:



_ 108,083 SQ FT (2.48 AC - 71.7%)

ENWOOL

9

0